

Show facsimile of manufacturer's logo or trademark, as it will appear on the fitting, in the space below

STATUTORY DECLARATION			
Registration of Fittings			
, Keith Whittaker			
(Name and Position, e.g. President, Plant Manager, Chief Er	ngineer)		
of ValvTechnologies, Inc.			
(Name of Manufacturer)			
Located at		13-860-0499	
(Plant Address)	Telephone No.)	(Fax No.)	
do solemnly declare that the fittings listed hereunder, which are subject to the <i>Technical Standards and Safety Act</i> , Boilers and Pressure Vessels Regulation, comply with all of the requirements of ASME B16.34			
(Title of recognized North American Standard) which specifies the dimensions, materials of construction, pressure/temperature ratings	, identification marking the	fittings and service;	
or are not covered by the provisions of a recognized North American standard and as supported by the attached data which ide pressure/temperature ratings and the basis for such ratings, the marking of the fittings.	nd are therefore manufacentifies the dimensions, m	ctured to comply with aterial of construction,	
I further declare that the manufacture of these fittings is controlled by a quality system meeting the requirements of ASME B16.34, ISO 9001 which has been verified by the following authority, DNV GL			
The lights covered by this decaration, for which i sock registration, are eategery	EE BELOW) type	e fittings. In support of	
this application, the following information and/or test data are attached as follows: BROUCHURES AND DRAWINGS - V1-1, V1-2, V1-3, IsoTech	(PSG), Xactrol		
(drawings, calculations, test reports, etc.)			
Declared before me at 5904 Bingle Road in the Augston of Skiss			
the SHE day of Mach AD 20 19	MELBA STELLA KE	LLY	
	Notary Public, State o	f Texas	
Commissioner for Oaths: OF Comm. Expires 07-02-2019 Notary ID 130281764			
(Printed name)	(Printed name)		
to fela Stelle Fell, Ja My			
(Signature)	(Signature of Declar	er)	
FOR OFFICE USE ONLY	Technical	Boilers and	
To the best of my knowledge and belief, the application meets the requirements of the Technical Standards and Safety Act , Boilers and Pressure Vessels Regulation, and	Standards and Safety	Pressure Vessels	
CSA Standard B51 and is accepted for registration in Category	Authority	Safety Program	
This Desument has been			
CRN: digitally signed and	REGIST	TERED	
Registered by: TSSA The stamp size has been	C.R.N.: 0C02804.25	5R1	
Dated: optimized for 11 x 17 documents.	Signed: XA	ia	
NOTE: This registration expires on:	Date: April 25, 2	2019.	

*Information provided in this application is releasable under the Freedom of Information and Privacy
Protection Act and may be disclosed upon request.

See registration letter for any terms and conditions for this registration.

THIS IS PART OF CRN

0C02804.25R1

Technical Standards and Safety Authority
Boilers and Pressure Vessels Safety

ABSA SCOPE OF REGISTRATION Program

TN: 2014-00552 PAGE:10F 2

V Series Metal Seated Ball Valves :

V1-1: 1/4"-4", 900-4500#

Sizes	$\frac{1}{4} - 4^{n}$
Pressure Classes	ASME / ANSI Class 900 - 4500
Materials of Construction	Carbon Steel (A105) - standard Alloy Steel (F22, F91) - standard Stainless Steel (316H) - standard Duplex Steel Exotic Alloys Other materials available upon request
In Compliance	ASME B16.34

V1-2: 1/2"-36", 150-600#

Sizes	½ - 36 inches 0 C 0 2 8 0	
Pressure Classes	ASME / ANSI Class 150 - 600	
Materials of Construction	Carbon Steel (A216 WCB) - standard Stainless Steel (A351 CF8M) - standard Duplex Steel Exotic Alloys Other materials available upon request	
In Compliance	ASME B16.34	

V1-3: 1/2"-2", 150-600#

Sizes	½ - 2 inch
Pressure Classes	ASME / ANSI Class 150 - 600
Materials of Construction	Carbon Steel (A216 WCB) - standard Alloy Steel (A217 WC9) - standard Stainless Steel (A351 CF8M) - standard Duplex Steel Exotic Alloys Other materials available upon request
In Compliance	ASME B16.34

V1-4: 4"-36", 900-4500#

¥1-4. 4 -00 ; 00	¥1-4. 4 -50 ; 500-4500//		
Sizes	4 – 36 inches		
Pressure Classes	ASME / ANSI Class 900 – 2500		
Materials of Construction	Carbon Steel (A105) - standard Stainless Steel (316H) - standard Alloy Steel Duplex Steel Exotic Alloys Other materials available upon request		
In Compliance	ASME B16.34		

ABSA SCOPE OF REGISTRATION

TN: 2014-00552 PAGE:20F 2

Parallel Slide Gate Valve - PSG

Sizes	6 – 36"
Pressure Classes	ASME / ANSI Class 900 - 4500
Materials of Construction	 Carbon Steel (A216 WCB) - standard Alloy Steel (A217 WC9, A217 C12A) - standard Stainless Steel (A351 CF8M) - standard Duplex Steel Exotic Alloys Other materials available upon request
In Compliance	ASME B16.34

XACTROL® Valves

Sizes	1/2 - 36 inches
Pressure Classes	ASME / ANSI Class 150 - 4500
Materials of Construction	Carbon Steel (A105, A216 WCB) - standard Alloy Steel (F22, F91, A217 WC9, A217 C12A) - standard Stainless Steel (316H, A351 CF8M) - standard Duplex Steel Exotic Alloys Other materials available upon request
In Compliance	ASME B16.34

